

Features and Size Considerations

120 Volt RTS

Minimum Width: 24.5" (62.3 cm)

Minimum Height: 13" (33.0 cm)

120 Volt Standard

Minimum Width: 23" (58.5 cm)

Minimum Height: 13" (33.0 cm)

Roller and Solar Shades: 120 Volt Motor Maximum Shade Size (120V RTS ST40 Motor or 120V STD ST40 Motor)

Valance Type	Normal Fabric Orientation						Fabric Turned Width for Height (railroaded)							
	Contour Valance/ No Valance		3" (7.7 cm) Fascia		4" (10.2 cm) Fascia		Contour Valance/ No Valance		Contour Valance/ No Valance at Maximum Width		3" (7.7 cm) Fascia		4" (10.2 cm) Fascia	
	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)
Allure	108 (274.4)	144 (365.8)	108 (274.4)	144 (365.8)	108 (274.4)	144 (365.8)	127 (322.6)	95 (241.3)	144 (365.8)	92 (233.7)	127 (322.6)	95 (241.3)	127 (322.6)	95 (241.3)
Arboretum BO	92 (233.7)	144 (365.8)	92 (233.7)	85 (215.9)	92 (233.7)	144 (365.8)	121 (307.4)	79 (200.7)	144 (365.8)	76 (193.1)	121 (307.4)	79 (200.7)	121 (307.4)	79 (200.7)
Arboretum LF	92 (233.7)	144 (365.8)	92 (233.7)	125 (317.5)	92 (233.7)	144 (365.8)	129 (327.7)	79 (200.7)	144 (365.8)	76 (193.1)	129 (327.7)	79 (200.7)	129 (327.7)	79 (200.7)
Banquet	85 (215.9)	144 (365.8)	85 (215.9)	124 (315.0)	85 (215.9)	144 (365.8)	129 (327.7)	71 (180.4)	144 (365.8)	68 (172.8)	129 (327.7)	71 (180.4)	129 (327.7)	71 (180.4)
Bravado BO	109 (276.9)	144 (365.8)	109 (276.9)	66 (167.7)	108 (274.4)	144 (365.8)	Not available							
Bravado LF	109 (276.9)	144 (365.8)	109 (276.9)	81 (205.8)	109 (276.9)	144 (365.8)	Not available							
Broadcast	117 (297.2)	144 (365.8)	117 (297.2)	49 (124.5)	101 (256.6)	135 (342.9)	135 (342.9)	144 (365.8)	135 (342.9)	144 (365.8)	121 (307.4)	49 (124.5)	101 (256.6)	135 (342.9)
Cambridge LF 76" (Ivory)	77 (195.6)	144 (365.8)	77 (195.6)	132 (335.3)	77 (195.6)	144 (365.8)	134 (340.4)	63 (160.1)	144 (365.8)	60 (152.4)	134 (340.4)	63 (160.1)	134 (340.4)	63 (160.1)
Cambridge LF 92" (Clay, Cocoa Bean, Inkwell, Misty, Off White, White)	92 (233.7)	144 (365.8)	92 (233.7)	132 (335.3)	92 (233.7)	144 (365.8)	131 (332.8)	79 (200.7)	144 (365.8)	76 (193.1)	131 (332.8)	79 (200.7)	131 (332.8)	79 (200.7)
Cambridge RD 76" (Ivory)	77 (195.6)	144 (365.8)	77 (195.6)	100 (254.0)	77 (195.6)	144 (365.8)	125 (317.5)	63 (160.1)	144 (365.8)	60 (152.4)	125 (317.5)	63 (160.1)	125 (317.5)	63 (160.1)
Cambridge RD 92" (Clay, Cocoa Bean, Inkwell, Misty, Off White, White)	92 (233.7)	144 (365.8)	92 (233.7)	100 (254.0)	92 (233.7)	144 (365.8)	122 (309.9)	79 (200.7)	144 (365.8)	76 (193.1)	122 (309.9)	79 (200.7)	122 (309.9)	79 (200.7)
Capri	71 (180.4)	144 (365.8)	71 (180.4)	74 (188.0)	71 (180.4)	144 (365.8)	Not available							
Chronicles	97 (246.4)	144 (365.8)	97 (246.4)	81 (205.8)	97 (246.4)	144 (365.8)	Not available							
Complex	97 (246.4)	144 (365.8)	97 (246.4)	59 (149.9)	97 (246.4)	144 (365.8)	Not available							
Conservancy BO	111 (282.0)	144 (365.8)	96 (243.9)	61 (155.0)	113 (287.1)	130 (330.2)	Not available							
Conservancy LF	116 (294.7)	144 (365.8)	103 (261.6)	71 (180.4)	116 (294.7)	144 (365.8)	Not available							
Consummate Silk	78 (198.2)	144 (365.8)	78 (198.2)	110 (279.4)	78 (198.2)	144 (365.8)	Not available							
Cumulus	97 (246.4)	144 (365.8)	97 (246.4)	59 (149.9)	97 (246.4)	144 (365.8)	Not available							
Ellington 1%	122 (309.9)	144 (365.8)	104 (264.2)	71 (180.4)	122 (309.9)	144 (365.8)	122 (309.9)	144 (365.8)	122 (309.9)	144 (365.8)	104 (264.2)	71 (180.4)	122 (309.9)	144 (365.8)
Ellington 3%	125 (317.5)	144 (365.8)	106 (269.3)	74 (188.0)	125 (317.5)	144 (365.8)	126 (320.1)	144 (365.8)	126 (320.1)	144 (365.8)	106 (269.3)	74 (188.0)	126 (320.1)	144 (365.8)
Ellington 5%	111 (282.0)	144 (365.8)	93 (236.3)	74 (188.0)	111 (282.0)	144 (365.8)	Not available							
Empire	92 (233.7)	144 (365.8)	92 (233.7)	125 (317.5)	92 (233.7)	144 (365.8)	132 (335.3)	79 (200.7)	144 (365.8)	76 (193.1)	132 (335.3)	79 (200.7)	132 (335.3)	79 (200.7)
Empirical	96 (243.9)	144 (365.8)	96 (243.9)	144 (365.8)	96 (243.9)	144 (365.8)	Not available							
Emporium (All Others)	96 (243.9)	144 (365.8)	96 (243.9)	85 (215.9)	96 (243.9)	144 (365.8)	Not available							
Emporium (Bookplate White)	96 (243.9)	144 (365.8)	96 (243.9)	104 (264.2)	96 (243.9)	144 (365.8)	Not available							

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Features and Size Considerations

120 Volt RTS
 Minimum Width: 24.5" (62.3 cm)
 Minimum Height: 13" (33.0 cm)

120 Volt Standard
 Minimum Width: 23" (58.5 cm)
 Minimum Height: 13" (33.0 cm)

Roller and Solar Shades: 120 Volt Motor Maximum Shade Size (120V RTS ST40 Motor or 120V STD ST40 Motor)

Valance Type	Normal Fabric Orientation						Fabric Turned Width for Height (railroaded)							
	Contour Valance/ No Valance		3" (7.7 cm) Fascia		4" (10.2 cm) Fascia		Contour Valance/ No Valance		Contour Valance/ No Valance at Maximum Width		3" (7.7 cm) Fascia		4" (10.2 cm) Fascia	
Fabric	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)
Emporium (Sepia Snapshot)	96 (243.9)	144 (365.8)	96 (243.9)	85 (215.9)	96 (243.9)	144 (365.8)	Not available							
Essential	70 (177.8)	144 (365.8)	70 (177.8)	144 (365.8)	70 (177.8)	144 (365.8)	142 (360.7)	144 (365.8)	142 (360.7)	144 (365.8)	107 (271.8)	137 (348.0)	142 (360.7)	144 (365.8)
Exposition	97 (246.4)	144 (365.8)	97 (246.4)	45 (114.3)	97 (246.4)	144 (365.8)	Not available							
Gleam	92 (233.7)	144 (365.8)	92 (233.7)	94 (238.8)	92 (233.7)	144 (365.8)	Not available							
Guildhall	97 (246.4)	144 (365.8)	97 (246.4)	68 (172.8)	97 (246.4)	144 (365.8)	Not available							
Harmony	92 (233.7)	144 (365.8)	92 (233.7)	117 (297.2)	92 (233.7)	144 (365.8)	Not available							
Herald	92 (233.7)	144 (365.8)	92 (233.7)	125 (317.5)	92 (233.7)	144 (365.8)	132 (335.3)	79 (200.7)	144 (365.8)	76 (193.1)	132 (335.3)	79 (200.7)	132 (335.3)	79 (200.7)
Merit	97 (246.4)	144 (365.8)	97 (246.4)	81 (205.8)	97 (246.4)	144 (365.8)	Not available							
Momentum	95 (241.3)	144 (365.8)	95 (241.3)	55 (139.7)	95 (241.3)	144 (365.8)	Not available							
Monticello	97 (246.4)	144 (365.8)	97 (246.4)	48 (121.9)	97 (246.4)	144 (365.8)	111 (282.0)	83 (210.9)	144 (365.8)	80 (203.2)	122 (309.9)	48 (121.9)	111 (282.0)	83 (210.9)
Opulent	96 (243.9)	144 (365.8)	96 (243.9)	144 (365.8)	96 (243.9)	144 (365.8)	Not available							
Paradigm	97 (246.4)	144 (365.8)	97 (246.4)	55 (139.7)	97 (246.4)	144 (365.8)	Not available							
Paragon	117 (297.2)	144 (365.8)	105 (266.7)	78 (198.2)	117 (297.2)	144 (365.8)	Not available							
Plexus 1%	117 (297.2)	144 (365.8)	117 (297.2)	49 (124.5)	97 (246.4)	134 (340.4)	130 (330.2)	144 (365.8)	130 (330.2)	144 (365.8)	118 (299.8)	49 (124.5)	97 (246.4)	134 (340.4)
Plexus 3%	117 (297.2)	144 (365.8)	117 (297.2)	53 (134.7)	117 (297.2)	144 (365.8)	132 (335.3)	144 (365.8)	132 (335.3)	144 (365.8)	118 (299.8)	53 (134.7)	138 (350.6)	114 (289.6)
Plexus 5%	117 (297.2)	144 (365.8)	117 (297.2)	59 (149.9)	117 (297.2)	126 (320.1)	134 (340.4)	144 (365.8)	134 (340.4)	144 (365.8)	118 (299.8)	59 (149.9)	138 (350.6)	126 (320.1)
Prairie	108 (274.4)	144 (365.8)	108 (274.4)	110 (279.4)	108 (274.4)	144 (365.8)	Not available							
Prodigy	96 (243.9)	144 (365.8)	95 (241.3)	49 (124.5)	96 (243.9)	108 (274.4)	Not available							
Providence BO	111 (282.0)	144 (365.8)	94 (238.8)	71 (180.4)	111 (282.0)	144 (365.8)	Not available							
Providence LF	116 (294.7)	144 (365.8)	101 (256.6)	85 (215.9)	116 (294.7)	144 (365.8)	Not available							
Quintessence	117 (297.2)	144 (365.8)	109 (276.9)	66 (167.7)	117 (297.2)	140 (355.6)	Not available							
Reaction	97 (246.4)	144 (365.8)	97 (246.4)	81 (205.8)	97 (246.4)	144 (365.8)	Not available							
Renaissance	92 (233.7)	144 (365.8)	92 (233.7)	139 (353.1)	92 (233.7)	144 (365.8)	Not available							
Resolve	97 (246.4)	144 (365.8)	97 (246.4)	71 (180.4)	97 (246.4)	144 (365.8)	Not available							
Riverbend	72 (182.9)	144 (365.8)	72 (182.9)	53 (134.7)	72 (182.9)	144 (365.8)	Not available							
Rujin	72 (182.9)	100 (254.0)	72 (182.9)	18 (45.7)	72 (182.9)	76 (193.1)	Not available							
Sabine	97 (246.4)	144 (365.8)	97 (246.4)	78 (198.2)	97 (246.4)	144 (365.8)	Not available							

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Features and Size Considerations

120 Volt RTS
 Minimum Width: 24.5" (62.3 cm)
 Minimum Height: 13" (33.0 cm)

120 Volt Standard
 Minimum Width: 23" (58.5 cm)
 Minimum Height: 13" (33.0 cm)

Roller and Solar Shades: 120 Volt Motor Maximum Shade Size (120V RTS ST40 Motor or 120V STD ST40)

Valance Type	Normal Fabric Orientation						Fabric Turned				Height (railroaded)			
	Contour Valance/ No Valance		3" (7.7 cm) Fascia		4" (10.2 cm) Fascia		Contour Valance/ No Valance		Contour Valance/ No Valance Maximum Width		3" (7.7 cm) Fascia		4" (10.2 cm) Fascia	
	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)
Salutation	96 (243.9)	144 (365.8)	96 (243.9)	85 (215.9)	96 (243.9)	144 (365.8)								
Sanguine	79 (200.7)	144 (365.8)	79 (200.7)	57 (144.8)	79 (200.7)	144 (365.8)								
Santorini	77 (195.6)	144 (365.8)	77 (195.6)	110 (279.4)	77 (195.6)	144 (365.8)								
Sedona	72 (182.9)	144 (365.8)	72 (182.9)	78 (198.2)	72 (182.9)	144 (365.8)	132 (335.3)	59 (149.9)	144 (365.8)	55 (139.7)	132 (335.3)	59 (149.9)	132 (335.3)	59 (149.9)
Shadow	120 (304.8)	144 (365.8)	116 (294.7)	85 (215.9)	120 (304.8)	144 (365.8)								
Sheffield	108 (274.4)	144 (365.8)	108 (274.4)	89 (226.1)	108 (274.4)	144 (365.8)								
Standard Weave 1%	117 (297.2)	144 (365.8)	115 (292.1)	78 (198.2)	117 (297.2)	144 (365.8)	138 (350.6)	144 (365.8)	138 (350.6)	144 (365.8)	115 (292.1)	78 (198.2)	138 (350.6)	144 (365.8)
Standard Weave 10%	117 (297.2)	144 (365.8)	116 (294.7)	89 (226.1)	117 (297.2)	144 (365.8)	142 (360.7)	144 (365.8)	142 (360.7)	144 (365.8)	116 (294.7)	89 (226.1)	142 (360.7)	144 (365.8)
Standard Weave 3%	117 (297.2)	144 (365.8)	116 (294.7)	78 (198.2)	117 (297.2)	144 (365.8)	139 (353.1)	144 (365.8)	139 (353.1)	144 (365.8)	116 (294.7)	78 (198.2)	139 (353.1)	144 (365.8)
Standard Weave 5%	117 (297.2)	144 (365.8)	115 (292.1)	85 (215.9)	117 (297.2)	144 (365.8)	140 (355.6)	144 (365.8)	140 (355.6)	144 (365.8)	115 (292.1)	85 (215.9)	140 (355.6)	144 (365.8)
Suburban II	72 (182.9)	144 (365.8)	72 (182.9)	124 (315.0)	72 (182.9)	144 (365.8)	133 (337.9)	59 (149.9)	144 (365.8)	55 (139.7)	133 (337.9)	59 (149.9)	133 (337.9)	59 (149.9)
Tableaux	97 (246.4)	144 (365.8)	97 (246.4)	40 (101.6)	97 (246.4)	136 (345.5)	Not available							
Thesis	70 (177.8)	144 (365.8)	70 (177.8)	63 (160.1)	70 (177.8)	144 (365.8)	Not available							
Vanguard 1%	117 (297.2)	144 (365.8)	115 (292.1)	78 (198.2)	117 (297.2)	144 (365.8)	138 (350.6)	144 (365.8)	138 (350.6)	144 (365.8)	115 (292.1)	78 (198.2)	138 (350.6)	144 (365.8)
Vanguard 3%	117 (297.2)	144 (365.8)	116 (294.7)	78 (198.2)	117 (297.2)	144 (365.8)	139 (353.1)	144 (365.8)	139 (353.1)	144 (365.8)	116 (294.7)	78 (198.2)	139 (353.1)	144 (365.8)
Vanguard 5%	117 (297.2)	144 (365.8)	115 (292.1)	85 (215.9)	117 (297.2)	144 (365.8)	140 (355.6)	144 (365.8)	140 (355.6)	144 (365.8)	115 (292.1)	85 (215.9)	140 (355.6)	144 (365.8)
Venture	97 (246.4)	144 (365.8)	97 (246.4)	63 (160.1)	97 (246.4)	135 (342.9)	Not available							
Wayfarer	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	Not available							
Whitcomb	108 (274.4)	144 (365.8)	108 (274.4)	104 (264.2)	108 (274.4)	144 (365.8)	Not available							
Whitehall	92 (233.7)	144 (365.8)	92 (233.7)	94 (238.8)	92 (233.7)	144 (365.8)	123 (312.5)	79 (200.7)	144 (365.8)	76 (193.1)	123 (312.5)	79 (200.7)	123 (312.5)	79 (200.7)

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.