

Features and Size Considerations

This table provides the maximum shade size available by fabric, control type, and valance style.
Fabric turned width for height (railroaded) may curl along its edge. This is not a defect in the product.

Only the large cassette valance is available for the dual shade.
Small and medium cassette valances are not available.

Roller and Solar Shades: Dual Shades Maximum Shade Size (12V RTS R28 Motor)

Valance Type	Normal Fabric Orientation								Fabric Turned Width for Height (railroaded)													
	12 Volt Motor No Cassette/ No Valance		12 Volt Motor Large Cassette		24 Volt Motor No Cassette/ No Valance		24 Volt Motor Large Cassette		12 Volt Motor No Cassette/ No Valance		12 Volt Motor No Cassette/ No Valance at Maximum Width		12 Volt Motor Large Cassette at Maximum Length		12 Volt Motor Large Cassette at Maximum Width		24 Volt Motor No Cassette/ No Valance		24 Volt Motor Large Cassette			
Fabric	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)		
Allure	91 (231.2)	131 (332.8)	91 (231.2)	131 (332.8)	91 (231.2)	131 (332.8)	91 (231.2)	131 (332.8)	95 (241.3)	98 (249.0)	95 (241.3)	98 (249.0)	95 (241.3)	98 (249.0)	95 (241.3)	98 (249.0)	95 (241.3)	98 (249.0)	95 (241.3)	98 (249.0)	95 (241.3)	98 (249.0)
Arboretum BO	72 (182.9)	108 (274.4)	73 (185.5)	101 (256.6)	87 (221.0)	93 (236.3)	89 (226.1)	82 (208.3)	75 (190.5)	84 (213.4)	89 (226.1)	82 (208.3)	75 (190.5)	84 (213.4)	89 (226.1)	82 (208.3)	89 (226.1)	82 (208.3)	89 (226.1)	82 (208.3)	89 (226.1)	82 (208.3)
Arboretum LF	90 (228.6)	136 (345.5)	91 (231.2)	121 (307.4)	90 (228.6)	136 (345.5)	91 (231.2)	121 (307.4)	82 (208.3)	84 (213.4)	96 (243.9)	82 (208.3)	82 (208.3)	84 (213.4)	96 (243.9)	82 (208.3)	96 (243.9)	82 (208.3)	96 (243.9)	82 (208.3)	96 (243.9)	82 (208.3)
Banquet	85 (215.9)	134 (340.4)	85 (215.9)	119 (302.3)	85 (215.9)	134 (340.4)	85 (215.9)	119 (302.3)	96 (243.9)	74 (188.0)	96 (243.9)	74 (188.0)	96 (243.9)	74 (188.0)	96 (243.9)	74 (188.0)	96 (243.9)	74 (188.0)	96 (243.9)	74 (188.0)	96 (243.9)	74 (188.0)
Bravado BO	74 (188.0)	90 (228.6)	75 (190.5)	82 (208.3)	90 (228.6)	73 (185.5)	92 (233.7)	64 (162.6)	Not available													
Bravado LF	79 (200.7)	110 (279.4)	80 (203.2)	99 (251.5)	96 (243.9)	89 (226.1)	97 (246.4)	79 (200.7)	Not available													
Broadcast	71 (180.4)	70 (177.8)	73 (185.5)	63 (160.1)	88 (223.6)	56 (142.3)	90 (228.6)	49 (124.5)	71 (180.4)	70 (177.8)	88 (223.6)	56 (142.3)	73 (185.5)	63 (160.1)	90 (228.6)	49 (124.5)	88 (223.6)	56 (142.3)	90 (228.6)	49 (124.5)	88 (223.6)	56 (142.3)
Cambridge LF 76" (Ivory)	77 (195.6)	144 (365.8)	77 (195.6)	144 (365.8)	77 (195.6)	143 (363.3)	77 (195.6)	127 (322.6)	86 (218.5)	68 (172.8)	101 (256.6)	66 (167.7)	86 (218.5)	68 (172.8)	101 (256.6)	66 (167.7)	101 (256.6)	66 (167.7)	101 (256.6)	66 (167.7)	101 (256.6)	66 (167.7)
Cambridge LF 92" (Clay, Cocoa Bean, Inkwell, Misty, Off White, White)	92 (233.7)	140 (355.6)	92 (233.7)	127 (322.6)	92 (233.7)	140 (355.6)	92 (233.7)	127 (322.6)	84 (213.4)	84 (213.4)	98 (249.0)	82 (208.3)	84 (213.4)	84 (213.4)	98 (249.0)	82 (208.3)	98 (249.0)	82 (208.3)	98 (249.0)	82 (208.3)	98 (249.0)	82 (208.3)
Cambridge RD 76" (Ivory)	77 (195.6)	109 (276.9)	72 (182.9)	114 (289.6)	77 (195.6)	109 (276.9)	77 (195.6)	96 (243.9)	79 (200.7)	68 (172.8)	93 (236.3)	66 (167.7)	79 (200.7)	68 (172.8)	93 (236.3)	66 (167.7)	93 (236.3)	66 (167.7)	93 (236.3)	66 (167.7)	93 (236.3)	66 (167.7)
Cambridge RD 92" (Clay, Cocoa Bean, Inkwell, Misty, Off White, White)	86 (218.5)	109 (276.9)	88 (223.6)	96 (243.9)	86 (218.5)	109 (276.9)	88 (223.6)	96 (243.9)	76 (193.1)	84 (213.4)	90 (228.6)	82 (208.3)	76 (193.1)	84 (213.4)	90 (228.6)	82 (208.3)	90 (228.6)	82 (208.3)	90 (228.6)	82 (208.3)	90 (228.6)	82 (208.3)
Capri	71 (180.4)	101 (256.6)	71 (180.4)	91 (231.2)	71 (180.4)	82 (208.3)	71 (180.4)	72 (182.9)	Not available													
Chronicles	85 (215.9)	89 (226.1)	71 (180.4)	98 (249.0)	85 (215.9)	89 (226.1)	87 (221.0)	79 (200.7)	Not available													
Complex	71 (180.4)	82 (208.3)	72 (182.9)	74 (188.0)	87 (221.0)	66 (167.7)	89 (226.1)	58 (147.4)	Not available													
Conservancy BO	57 (144.8)	84 (213.4)	59 (149.9)	74 (188.0)	70 (177.8)	68 (172.8)	72 (182.9)	60 (152.4)	Not available													
Conservancy LF	64 (162.6)	97 (246.4)	65 (165.1)	88 (223.6)	77 (195.6)	79 (200.7)	78 (198.2)	69 (175.3)	Not available													
Consummate Silk	78 (198.2)	119 (302.3)	78 (198.2)	106 (269.3)	78 (198.2)	119 (302.3)	78 (198.2)	106 (269.3)	Not available													
Cumulus	73 (185.5)	82 (208.3)	74 (188.0)	74 (188.0)	90 (228.6)	66 (167.7)	91 (231.2)	58 (147.4)	Not available													
Ellington 1%	61 (155.0)	97 (246.4)	62 (157.5)	88 (223.6)	75 (190.5)	79 (200.7)	77 (195.6)	69 (175.3)	61 (155.0)	97 (246.4)	75 (190.5)	79 (200.7)	62 (157.5)	88 (223.6)	77 (195.6)	69 (175.3)	75 (190.5)	79 (200.7)	77 (195.6)	69 (175.3)	75 (190.5)	79 (200.7)
Ellington 3%	77 (195.6)	82 (208.3)	64 (162.6)	91 (231.2)	77 (195.6)	82 (208.3)	79 (200.7)	72 (182.9)	77 (195.6)	82 (208.3)	77 (195.6)	82 (208.3)	64 (162.6)	91 (231.2)	79 (200.7)	72 (182.9)	77 (195.6)	82 (208.3)	79 (200.7)	72 (182.9)	77 (195.6)	82 (208.3)
Ellington 5%	68 (172.8)	82 (208.3)	56 (142.3)	91 (231.2)	68 (172.8)	82 (208.3)	69 (175.3)	72 (182.9)	Not available													
Empire	92 (233.7)	136 (345.5)	92 (233.7)	121 (307.4)	92 (233.7)	136 (345.5)	92 (233.7)	121 (307.4)	84 (213.4)	84 (213.4)	99 (251.5)	82 (208.3)	84 (213.4)	84 (213.4)	99 (251.5)	82 (208.3)	99 (251.5)	82 (208.3)	99 (251.5)	82 (208.3)	99 (251.5)	82 (208.3)

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Seams may be added to fabrics to accommodate long shade requirements. Seams will be placed as close to the tube as possible; seam location is not selectable. Seams are visible when the shade is fully extended. Not available with RU28 rechargeable motor or RU30 Simple RTS motor.

Features and Size Considerations

This table provides the maximum shade size available by fabric, control type, and valance style.
Fabric turned width for height (railroaded) may curl along its edge. This is not a defect in the product.

Only the large cassette valance is available for the dual shade.
Small and medium cassette valances are not available.

Roller and Solar Shades: Dual Shades Maximum Shade Size (12V RTS R28 Motor)

Valance Type	Normal Fabric Orientation								Fabric Turned Width for Height (railroaded)											
	12 Volt Motor No Cassette/ No Valance		12 Volt Motor Large Cassette		24 Volt Motor No Cassette/ No Valance		24 Volt Motor Large Cassette		12 Volt Motor No Cassette/ No Valance		12 Volt Motor No Cassette/ No Valance at Maximum Width		12 Volt Motor Large Cassette at Maximum Length		12 Volt Motor Large Cassette at Maximum Width		24 Volt Motor No Cassette/ No Valance		24 Volt Motor Large Cassette	
Fabric	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)
Empirical	93 (236.3)	123 (312.5)	93 (236.3)	123 (312.5)	93 (236.3)	123 (312.5)	93 (236.3)	123 (312.5)	Not available											
Emporium (All Others)	74 (188.0)	114 (289.6)	75 (190.5)	104 (264.2)	90 (228.6)	93 (236.3)	92 (233.7)	82 (208.3)	Not available											
Emporium (Bookplate White)	89 (226.1)	113 (287.1)	74 (188.0)	125 (317.5)	89 (226.1)	113 (287.1)	91 (231.2)	100 (254.0)	Not available											
Emporium (Sepia Snapshot)	73 (185.5)	111 (282.0)	74 (188.0)	103 (261.6)	89 (226.1)	93 (236.3)	90 (228.6)	82 (208.3)	Not available											
Essential	70 (177.8)	144 (365.8)	70 (177.8)	144 (365.8)	70 (177.8)	144 (365.8)	70 (177.8)	144 (365.8)	80 (203.2)	124 (315.0)	80 (203.2)	124 (315.0)	80 (203.2)	124 (315.0)	80 (203.2)	124 (315.0)	80 (203.2)	124 (315.0)	80 (203.2)	124 (315.0)
Exposition	76 (193.1)	64 (162.6)	77 (195.6)	58 (147.4)	93 (236.3)	51 (129.6)	95 (241.3)	44 (111.8)	Not available											
Gleam	77 (195.6)	102 (259.1)	79 (200.7)	90 (228.6)	77 (195.6)	102 (259.1)	79 (200.7)	90 (228.6)	Not available											
Guildhall	70 (177.8)	87 (221.0)	70 (177.8)	85 (215.9)	85 (215.9)	76 (193.1)	87 (221.0)	67 (170.2)	Not available											
Harmony	92 (233.7)	124 (315.0)	92 (233.7)	112 (284.5)	92 (233.7)	124 (315.0)	92 (233.7)	112 (284.5)	Not available											
Herald	92 (233.7)	136 (345.5)	92 (233.7)	121 (307.4)	92 (233.7)	136 (345.5)	92 (233.7)	121 (307.4)	84 (213.4)	84 (213.4)	99 (251.5)	82 (208.3)	84 (213.4)	84 (213.4)	99 (251.5)	82 (208.3)	99 (251.5)	82 (208.3)	99 (251.5)	82 (208.3)
Merit	76 (193.1)	88 (223.6)	63 (160.1)	97 (246.4)	76 (193.1)	88 (223.6)	77 (195.6)	79 (200.7)	Not available											
Momentum	74 (188.0)	76 (193.1)	75 (190.5)	69 (175.3)	90 (228.6)	61 (155.0)	92 (233.7)	54 (137.2)	Not available											
Monticello	72 (182.9)	68 (172.8)	73 (185.5)	61 (155.0)	89 (226.1)	54 (137.2)	91 (231.2)	47 (119.4)	72 (182.9)	68 (172.8)	89 (226.1)	54 (137.2)	73 (185.5)	61 (155.0)	91 (231.2)	47 (119.4)	89 (226.1)	54 (137.2)	91 (231.2)	47 (119.4)
Opulent	88 (223.6)	133 (337.9)	88 (223.6)	133 (337.9)	88 (223.6)	133 (337.9)	88 (223.6)	133 (337.9)	Not available											
Paradigm	76 (193.1)	76 (193.1)	77 (195.6)	69 (175.3)	92 (233.7)	61 (155.0)	94 (238.8)	54 (137.2)	Not available											
Paragon	76 (193.1)	85 (215.9)	63 (160.1)	95 (241.3)	76 (193.1)	85 (215.9)	78 (198.2)	75 (190.5)	Not available											
Plexus 1%	69 (175.3)	70 (177.8)	70 (177.8)	63 (160.1)	85 (215.9)	56 (142.3)	87 (221.0)	49 (124.5)	69 (175.3)	70 (177.8)	85 (215.9)	56 (142.3)	70 (177.8)	63 (160.1)	87 (221.0)	49 (124.5)	85 (215.9)	56 (142.3)	87 (221.0)	49 (124.5)
Plexus 3%	69 (175.3)	74 (188.0)	71 (180.4)	66 (167.7)	86 (218.5)	59 (149.9)	88 (223.6)	52 (132.1)	69 (175.3)	74 (188.0)	86 (218.5)	59 (149.9)	71 (180.4)	66 (167.7)	88 (223.6)	52 (132.1)	86 (218.5)	59 (149.9)	88 (223.6)	52 (132.1)
Plexus 5%	69 (175.3)	82 (208.3)	71 (180.4)	72 (182.9)	85 (215.9)	66 (167.7)	87 (221.0)	58 (147.4)	69 (175.3)	82 (208.3)	85 (215.9)	66 (167.7)	71 (180.4)	72 (182.9)	87 (221.0)	58 (147.4)	85 (215.9)	66 (167.7)	87 (221.0)	58 (147.4)
Prairie	90 (228.6)	119 (302.3)	92 (233.7)	106 (269.3)	90 (228.6)	119 (302.3)	92 (233.7)	106 (269.3)	Not available											
Prodigy	56 (142.3)	70 (177.8)	58 (147.4)	63 (160.1)	69 (175.3)	56 (142.3)	71 (180.4)	49 (124.5)	Not available											
Providence BO	56 (142.3)	97 (246.4)	57 (144.8)	88 (223.6)	69 (175.3)	78 (198.2)	70 (177.8)	69 (175.3)	Not available											
Providence LF	76 (193.1)	93 (236.3)	77 (195.6)	82 (208.3)	76 (193.1)	93 (236.3)	77 (195.6)	82 (208.3)	Not available											
Quintessence	65 (165.1)	90 (228.6)	66 (167.7)	82 (208.3)	80 (203.2)	73 (185.5)	81 (205.8)	64 (162.6)	Not available											
Reaction	85 (215.9)	89 (226.1)	71 (180.4)	98 (249.0)	85 (215.9)	89 (226.1)	87 (221.0)	79 (200.7)	Not available											
Renaissance	92 (233.7)	140 (355.6)	92 (233.7)	133 (337.9)	92 (233.7)	140 (355.6)	92 (233.7)	133 (337.9)	Not available											

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Seams may be added to fabrics to accommodate long shade requirements. Seams will be placed as close to the tube as possible; seam location is not selectable. Seams are visible when the shade is fully extended. Not available with RU28 rechargeable motor or RU30 Simple RTS motor.

Features and Size Considerations

This table provides the maximum shade size available by fabric, control type, and valance style.
Fabric turned width for height (railroaded) may curl along its edge. This is not a defect in the product.

Only the large cassette valance is available for the dual shade.
Small and medium cassette valances are not available.

Roller and Solar Shades: Dual Shades Maximum Shade Size (12V RTS R28 Motor)

Valance Type	Normal Fabric Orientation								Fabric Turned Width for Height (railroaded)													
	12 Volt Motor No Cassette/ No Valance		12 Volt Motor Large Cassette		24 Volt Motor No Cassette/ No Valance		24 Volt Motor Large Cassette		12 Volt Motor No Cassette/ No Valance		12 Volt Motor No Cassette/ No Valance at Maximum Width		12 Volt Motor Large Cassette at Maximum Length		12 Volt Motor Large Cassette at Maximum Width		24 Volt Motor No Cassette/ No Valance		24 Volt Motor Large Cassette			
Fabric	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)		
Resolve	71 (180.4)	97 (246.4)	73 (185.5)	87 (221.0)	87 (221.0)	79 (200.7)	89 (226.1)	69 (175.3)	Not available													
Riverbend	72 (182.9)	74 (188.0)	72 (182.9)	67 (170.2)	72 (182.9)	59 (149.9)	72 (182.9)	52 (132.1)	Not available													
Rujin	72 (182.9)	31 (78.8)	72 (182.9)	27 (68.6)	72 (182.9)	23 (58.5)	72 (182.9)	20 (50.8)	Not available													
Sabine	85 (215.9)	85 (215.9)	71 (180.4)	91 (231.2)	85 (215.9)	85 (215.9)	87 (221.0)	75 (190.5)	Not available													
Salutation	80 (203.2)	114 (289.6)	81 (205.8)	104 (264.2)	96 (243.9)	93 (236.3)	96 (243.9)	82 (208.3)	Not available													
Sanguine	71 (180.4)	79 (200.7)	72 (182.9)	71 (180.4)	79 (200.7)	63 (160.1)	79 (200.7)	56 (142.3)	Not available													
Santorini	77 (195.6)	135 (342.9)	77 (195.6)	132 (335.3)	77 (195.6)	119 (302.3)	77 (195.6)	106 (269.3)	Not available													
Sedona	72 (182.9)	105 (266.7)	72 (182.9)	95 (241.3)	72 (182.9)	85 (215.9)	72 (182.9)	75 (190.5)	99 (251.5)	62 (157.5)	99 (251.5)	62 (157.5)	99 (251.5)	62 (157.5)	99 (251.5)	62 (157.5)	99 (251.5)	62 (157.5)	99 (251.5)	62 (157.5)	99 (251.5)	62 (157.5)
Shadow	84 (213.4)	93 (236.3)	71 (180.4)	97 (246.4)	84 (213.4)	93 (236.3)	86 (218.5)	82 (208.3)	Not available													
Sheffield	78 (198.2)	120 (304.8)	80 (203.2)	108 (274.4)	95 (241.3)	98 (249.0)	97 (246.4)	86 (218.5)	Not available													
Standard Weave 1%	83 (210.9)	85 (215.9)	70 (177.8)	89 (226.1)	83 (210.9)	85 (215.9)	85 (215.9)	75 (190.5)	83 (210.9)	85 (215.9)	83 (210.9)	85 (215.9)	70 (177.8)	89 (226.1)	85 (215.9)	75 (190.5)	83 (210.9)	85 (215.9)	85 (215.9)	75 (190.5)		
Standard Weave 3%	84 (213.4)	85 (215.9)	71 (180.4)	87 (221.0)	84 (213.4)	85 (215.9)	86 (218.5)	75 (190.5)	84 (213.4)	85 (215.9)	84 (213.4)	85 (215.9)	71 (180.4)	87 (221.0)	86 (218.5)	75 (190.5)	84 (213.4)	85 (215.9)	86 (218.5)	75 (190.5)		
Standard Weave 5%	83 (210.9)	93 (236.3)	70 (177.8)	99 (251.5)	83 (210.9)	93 (236.3)	86 (218.5)	82 (208.3)	83 (210.9)	93 (236.3)	83 (210.9)	93 (236.3)	70 (177.8)	99 (251.5)	86 (218.5)	82 (208.3)	83 (210.9)	93 (236.3)	86 (218.5)	82 (208.3)		
Standard Weave 10%	84 (213.4)	98 (249.0)	71 (180.4)	100 (254.0)	84 (213.4)	98 (249.0)	86 (218.5)	86 (218.5)	84 (213.4)	98 (249.0)	84 (213.4)	98 (249.0)	71 (180.4)	100 (254.0)	86 (218.5)	86 (218.5)	84 (213.4)	98 (249.0)	86 (218.5)	86 (218.5)		
Suburban II	72 (182.9)	144 (365.8)	72 (182.9)	144 (365.8)	72 (182.9)	134 (340.4)	72 (182.9)	119 (302.3)	100 (254.0)	62 (157.5)	100 (254.0)	62 (157.5)	100 (254.0)	62 (157.5)	100 (254.0)	62 (157.5)	100 (254.0)	62 (157.5)	100 (254.0)	62 (157.5)		
Tableaux	73 (185.5)	58 (147.4)	74 (188.0)	52 (132.1)	90 (228.6)	45 (114.3)	92 (233.7)	40 (101.6)	Not available													
Thesis	70 (177.8)	87 (221.0)	70 (177.8)	79 (200.7)	70 (177.8)	70 (177.8)	70 (177.8)	62 (157.5)	Not available													
Vanguard 1%	83 (210.9)	85 (215.9)	70 (177.8)	89 (226.1)	83 (210.9)	85 (215.9)	85 (215.9)	75 (190.5)	83 (210.9)	85 (215.9)	83 (210.9)	85 (215.9)	70 (177.8)	89 (226.1)	85 (215.9)	75 (190.5)	83 (210.9)	85 (215.9)	85 (215.9)	75 (190.5)		
Vanguard 3%	84 (213.4)	85 (215.9)	71 (180.4)	87 (221.0)	84 (213.4)	85 (215.9)	86 (218.5)	75 (190.5)	84 (213.4)	85 (215.9)	84 (213.4)	85 (215.9)	71 (180.4)	87 (221.0)	86 (218.5)	75 (190.5)	84 (213.4)	85 (215.9)	86 (218.5)	75 (190.5)		
Vanguard 5%	83 (210.9)	93 (236.3)	70 (177.8)	99 (251.5)	83 (210.9)	93 (236.3)	86 (218.5)	82 (208.3)	83 (210.9)	93 (236.3)	83 (210.9)	93 (236.3)	70 (177.8)	99 (251.5)	86 (218.5)	82 (208.3)	83 (210.9)	93 (236.3)	86 (218.5)	82 (208.3)		
Venture	62 (157.5)	87 (221.0)	63 (160.1)	79 (200.7)	76 (193.1)	70 (177.8)	78 (198.2)	62 (157.5)	Not available													
Wayfarer	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	Not available													
Whitcomb	91 (231.2)	113 (287.1)	76 (193.1)	125 (317.5)	91 (231.2)	113 (287.1)	93 (236.3)	100 (254.0)	Not available													
Whitehall	88 (223.6)	102 (259.1)	73 (185.5)	113 (287.1)	88 (223.6)	102 (259.1)	89 (226.1)	90 (228.6)	77 (195.6)	84 (213.4)	91 (231.2)	82 (208.3)	77 (195.6)	84 (213.4)	91 (231.2)	82 (208.3)	91 (231.2)	82 (208.3)	91 (231.2)	82 (208.3)		

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Seams may be added to fabrics to accommodate long shade requirements. Seams will be placed as close to the tube as possible; seam location is not selectable. Seams are visible when the shade is fully extended. Not available with RU28 rechargeable motor or RU30 Simple RTS motor.