

24V RTS ST30

## Features and Size Considerations

Minimum Width: 20"

Minimum Height: 13"

### Roller and Solar Shades: 24-Volt Motor Maximum Shade Size (24V RTS ST30 Motor)

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)											
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width		3" Fascia		4" Fascia	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Arboretum BO	88	91	92	124	92	144	82	131	92	144	89	82	121	79	121	79	121	79	121	79	121	79
Arboretum LF	92	119	92	144	92	144	92	125	92	144	97	81	129	79	129	79	129	79	129	79	129	79
Bradley	87	69	96	89	96	144	82	96	96	144	Not available											
Bravado BO	90	76	109	97	109	141	87	92	109	141	Not available											
Bravado LF	96	92	109	119	109	144	109	81	109	144	Not available											
Broadcast	86	65	111	83	107	104	80	94	107	104	86	65	111	83	107	104	107	104	80	94	107	104
Buxton	84	73	96	94	96	144	81	90	96	144	Not available											
Cambridge LF (Academy; Hawaiian Blue; Mirage; Vernal Pond)	96	104	119	144	119	144	119	132	119	144	96	104	127	107	127	107	127	107	127	107	127	107
Cambridge LF (Ivory)	76	144	76	144	76	144	76	132	76	144	101	66	101	66	101	66	134	63	101	66	101	66
Cambridge LF (White; Off White; Inkwell; Clay; Misty)	92	140	92	144	92	144	92	132	92	144	98	82	131	79	131	79	131	79	131	79	131	79
Cambridge RD (Academy; Hawaiian Blue; Mirage; Vernal Pond)	88	96	115	118	115	118	117	100	115	118	88	96	117	105	117	105	117	105	118	100	117	105
Cambridge RD (Ivory)	76	114	76	144	76	144	76	144	76	144	93	66	126	63	126	63	126	63	126	63	126	63
Cambridge RD (White; Off White; Inkwell; Clay ; Misty)	88	96	92	144	92	144	92	100	92	144	90	82	122	79	122	79	122	79	122	79	122	79
Carpi	70	88	70	144	70	144	70	127	70	144	Not available											
Chakra	92	144	92	144	92	144	92	144	92	144	Not available											
Chronicles	85	93	96	118	96	144	96	81	96	144	Not available											
Complex	87	70	96	90	96	144	82	95	96	144	Not available											
Conservancy-LF	74	91	97	113	97	113	100	80	97	113	Not available											
Conservancy-BO	70	65	89	90	82	144	95	61	82	144	Not available											
Consummate Silk	79	96	79	122	79	144	79	138	79	144	Not available											

**NOTES:** Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

See dual shade section for motorization information.

24V RTS ST30

Minimum Width: 20"

Minimum Height: 13"

# Features and Size Considerations

## Roller and Solar Shades: 24-Volt Motor Maximum Shade Size (24V RTS ST30 Motor)

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)												
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width		3" Fascia		4" Fascia		
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	
Debonair	95	87	106	135	106	144	106	93	106	144	Not available												
Delphine BO	88	82	109	105	109	139	109	72	109	139	Not available												
Delphine LF	96	102	108	144	108	144	108	104	108	144	Not available												
Destin BO	87	82	113	104	111	115	113	72	111	115	Not available												
Diplomat	96	90	102	144	102	144	102	125	102	144	Not available												
Dorian	92	118	92	144	92	144	92	144	92	144	Not available												
Earth Synergy	88	91	114	116	114	116	116	93	114	116	Not available												
EcoEncore	97	101	100	144	100	144	100	144	100	144	Not available												
Ellington 1%	75	81	98	100	98	100	104	71	98	100	75	81	98	100	98	100	98	100	100	104	71	98	100
Ellington 3%	77	84	100	106	100	106	106	75	100	106	77	84	100	106	100	106	100	106	106	106	75	100	106
Ellington 5%	71	64	90	94	90	94	93	76	90	94	Not available												
Emerson	90	68	117	88	112	115	86	92	112	115	Not available												
Empirical	96	98	96	144	96	144	96	144	96	144	Not available												
Emporium (Bookplate White)	94	82	96	144	96	144	96	106	96	144	Not available												
Emporium (Sepia Snapshot)	89	94	96	125	96	144	96	86	96	144	Not available												
Emporium (Silver Dollar; Vintage Letterpress; Sheet Music; Stepping Stone)	90	97	96	125	96	144	96	86	96	144	Not available												
Enviro- INFUSION	96	105	115	144	115	144	115	127	115	144	Not available												
Essential	70	144	70	144	70	144	70	144	70	144	82	110	111	114	111	114	111	114	111	114	111	114	111
Exposition	92	54	82	104	96	144	86	80	96	144	Not available												
Florian	92	135	92	144	92	144	92	120	92	144	Not available												
Freesia	102	118	112	144	112	144	112	104	112	144	Not available												
Gallery	92	140	92	144	92	144	92	139	92	144	Not available												
Gleam	79	90	92	136	92	144	92	94	92	144	Not available												
Grasses	72	68	72	128	72	144	72	99	72	144	Not available												

**NOTES:** Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

See dual shade section for motorization information.

24V RTS ST30

## Features and Size Considerations

Minimum Width: 20"

Minimum Height: 13"

### Roller and Solar Shades: 24-Volt Motor Maximum Shade Size (24V RTS ST30 Motor)

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)											
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width		3" Fascia		4" Fascia	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Guildhall	84	80	96	102	96	144	82	92	96	144	Not available											
Halifax	92	103	96	144	96	144	96	144	96	144	Not available											
Harmonics	92	94	115	143	115	144	115	98	115	144	Not available											
Harmony	92	124	92	144	92	144	92	117	92	144	Not available											
Jacinta	97	99	112	144	112	144	112	125	112	144	Not available											
Kindred	97	101	112	144	112	144	112	110	112	144	Not available											
Levity	100	88	112	112	112	144	97	118	112	144	Not available											
Linnea	96	144	96	144	96	144	96	144	96	144	Not available											
LiveWell	85	76	95	98	95	144	82	94	95	144	85	76	114	83	114	83	114	83	118	66	114	83
Manifest BO	82	140	92	144	92	144	92	124	92	144	Not available											
Manifest LF	92	144	92	144	92	144	92	144	92	144	Not available											
Marina	96	86	108	110	108	144	95	96	108	144	Not available											
Mayfair	99	117	107	144	107	144	107	136	107	144	Not available											
Merit	75	93	96	118	96	128	96	81	96	128	Not available											
Momentum	87	78	94	99	94	144	82	107	94	144	Not available											
Monaco	76	144	76	144	76	144	76	144	76	144	101	66	101	66	101	66	134	63	101	66	101	66
Monticello	90	57	82	96	96	144	84	84	96	144	90	57	117	73	114	83	114	83	84	84	114	83
Nantucket	93	51	85	92	96	144	88	76	96	144	Not available											
Nebula	79	59	96	75	96	107	74	84	96	107	Not available											
Northshore	95	78	115	117	115	144	115	80	115	144	Not available											
Olbrecht	77	80	96	102	96	128	96	69	96	128	Not available											
Paragon	76	89	100	105	100	105	105	79	100	105	Not available											
PlanetSafe	92	124	92	144	92	144	92	144	92	144	Not available											
Plexus 1% (Black Granite; Chalcedony; Nutmeg Pier; Travertine; Landmark; Niche; Penumbra; Provisions; Renewal; Stately)	97	97	103	144	103	144	103	144	103	144	84	61	109	78	103	103	103	103	78	87	103	103

**NOTES:** Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

See dual shade section for motorization information.

24V RTS ST30

Minimum Width: 20"

Minimum Height: 13"

# Features and Size Considerations

## Roller and Solar Shades: 24-Volt Motor Maximum Shade Size (24V RTS ST30 Motor)

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)											
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width		3" Fascia		4" Fascia	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Plexus 1% (Soapstone; Sublime Gray ; Tranquility)	84	63	109	81	106	93	78	90	106	93	84	63	109	81	106	93	106	93	78	90	106	93
Plexus 3% (Renewal; Provisions; Chalcedony; Stately; Landmark; Travertine; Penumbra; Nutley Pier; Black Granite; Niche)	84	61	110	78	106	94	78	89	106	94	84	61	110	78	106	94	106	94	78	89	106	94
Plexus 3% (Soapstone; Tranquility; Sublime Gray)	85	63	110	81	107	94	79	90	107	94	85	63	110	81	107	94	107	94	79	90	107	94
Plexus 5% (Black Granite; Chalcedony; Nutley Pier; Travertine; Landmark; Niche; Penumbra; Provisions; Renewal; Stately)	84	67	109	85	107	94	79	90	107	94	84	67	109	85	107	94	107	94	79	90	107	94
Plexus 5% (Soapstone; Sublime Gray ; Tranquility)	85	66	110	84	107	101	80	91	107	101	85	66	110	84	107	101	107	101	80	91	107	101
Porter	82	52	96	66	96	124	77	77	96	124	Not available											
Providence-BO	71	57	89	87	82	138	95	58	82	138	Not available											
Providence-LF	74	90	97	105	97	105	99	81	97	105	Not available											
Quintessence	79	78	102	100	100	117	109	68	100	117	Not available											
Reaction	85	92	96	123	96	144	96	84	96	144	Not available											
Regent	97	107	115	144	115	144	115	104	115	144	Not available											
Renaissance	92	140	92	144	92	144	92	139	92	144	Not available											

**NOTES:** Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

See dual shade section for motorization information.

24V RTS ST30

## Features and Size Considerations

Minimum Width: 20"

Minimum Height: 13"

### Roller and Solar Shades: 24-Volt Motor Maximum Shade Size (24V RTS ST30 Motor)

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)											
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width		3" Fascia		4" Fascia	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Riverbend	72	63	72	119	72	144	72	93	72	144	Not available											
Sabine	84	92	96	117	96	144	96	80	96	144	Not available											
SafeSync	77	66	96	84	96	106	74	82	96	106	Not available											
Sakura	82	46	74	85	97	103	77	69	97	103	Not available											
Salutation	96	98	96	129	96	144	96	98	96	144	Not available											
Sanguine	78	50	78	96	78	144	78	74	78	142	Not available											
Santorini	76	124	76	144	76	144	76	144	76	144	Not available											
Shadow	84	97	111	113	111	113	116	85	111	113	Not available											
Sheffield	96	94	108	133	108	144	108	91	108	144	Not available											
Shiloh	96	99	115	144	115	144	115	111	115	144	Not available											
Solana BO	77	71	100	90	99	100	74	92	99	100	Not available											
Standard Weave 1% (Calcite; Polished)	84	88	111	102	111	102	116	78	111	102	84	88	111	102	111	102	111	102	116	78	111	102
Standard Weave 1% (Daikon; Infallible; Once)	82	98	109	116	109	116	115	86	109	116	82	98	109	116	109	116	109	116	115	86	109	116
Standard Weave 1% (Veranda; Café Doppio; Chiseled)	82	94	110	102	110	102	114	83	110	102	82	94	110	102	110	102	110	102	114	83	110	102
Standard Weave 10% (Chiseled; Daikon; Café Doppio; Infallible; Once; Veranda)	86	90	111	118	111	118	116	89	111	118	86	90	111	118	111	118	111	118	116	89	111	118
Standard Weave 10% (Polished; Calcite)	87	92	113	116	113	116	116	93	113	116	87	92	113	116	113	116	113	116	117	93	113	116

**NOTES:** Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

See dual shade section for motorization information.

## Features and Size Considerations

Minimum width: 20  
Minimum height: 13

Roller and Solar Shades: 24-Volt Motor Maximum Shade Size (24V RTS ST30 Motor)																							
Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)												
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width		3" Fascia		4" Fascia		
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	
Standard Weave 3% (Daikon; Infallible; Once)	83	93	111	103	111	103	115	81	111	103	83	93	111	103	111	103	111	103	115	81	111	103	
Standard Weave 3% (Polished; Calcite)	84	95	110	115	110	115	116	84	110	115	84	95	110	115	110	115	110	115	116	84	110	115	
Standard Weave 3% (Veranda; Café Doppio; Chiseled)	82	96	110	106	110	106	114	84	110	106	82	96	110	106	110	106	110	106	114	84	110	106	
Standard Weave 5% (Calcite; Polished)	85	95	111	117	111	117	117	84	111	117	85	95	111	117	111	117	111	117	117	84	111	117	
Standard Weave 5% (Infallible; Once; Daikon)	85	92	111	114	111	114	116	88	111	114	85	92	111	114	111	114	111	114	116	88	111	114	
Standard Weave 5% (Veranda; Café Doppio; Chiseled)	82	101	110	115	110	115	115	88	110	115	82	101	110	115	110	115	110	115	115	88	110	115	
Suburban II	72	144	72	144	72	144	72	131	72	144	100	62	100	62	100	62	133	59	100	62	100	62	
Synthesis	91	54	82	96	96	144	85	79	96	144	Not available												
Tableaux	91	43	81	82	96	144	84	65	96	125	Not available												
Thesis	70	76	70	142	70	144	70	111	70	144	Not available												
Tuvalu	96	104	106	144	106	144	106	111	106	144	Not available												
Unison	95	78	115	144	115	144	115	118	115	144	Not available												
Vancouver	95	91	114	144	114	144	114	111	114	144	Not available												
Vanguard 1% (Authentic; Chrome; Pendulum; Gentle Beige)	84	88	111	102	111	102	116	78	111	102	84	88	111	102	111	102	111	102	116	78	111	102	

**NOTES:** Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

24V RTS ST30

Minimum width: 20  
Minimum height: 13

## Features and Size Considerations

### Roller and Solar Shades: 24-Volt Motor Maximum Shade Size (24V RTS ST30 Motor)

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)											
	Small Cassette		Medium Cassette		Large Cassette/Contour Valance/No Cassette/No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/Contour Valance/No Cassette/No Valance		Large Cassette/Contour Valance/No Cassette/No Valance at Maximum Width		3" Fascia		4" Fascia	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Vanguard 1% (Cortina; Obsidian)	82	98	109	116	109	116	115	86	109	116	82	98	109	116	109	116	109	116	115	86	109	116
Vanguard 1% (Elusive; Macedonia; Dew; Homage; Peloton)	82	94	110	102	110	102	114	83	110	102	82	94	110	102	110	102	110	102	114	83	110	102
Vanguard 3% (Authentic; Gentle Beige; Chrome; Pendulum)	84	95	110	115	110	115	116	84	110	115	84	95	110	115	110	115	110	115	116	84	110	115
Vanguard 3% (Elusive; Macedonia; Dew; Homage; Peloton)	82	96	110	106	110	106	114	84	110	106	82	96	110	106	110	106	110	106	114	84	110	106
Vanguard 3% (Obsidian; Cortina)	83	93	111	103	111	103	115	81	111	103	83	93	111	103	111	103	111	103	115	81	111	103
Vanguard 5% (Cortina; Obsidian)	85	92	111	114	111	114	116	88	111	114	85	92	111	114	111	114	111	114	116	88	111	114
Vanguard 5% (Elusive; Macedonia; Dew; Homage; Peloton)	82	101	110	115	110	115	115	88	110	115	82	101	110	115	110	115	110	115	115	88	110	115
Vanguard 5% (Gentle Beige; Pendulum; Authentic; Chrome)	85	95	111	117	111	117	117	84	111	117	85	95	111	117	111	117	111	117	117	84	111	117
Verve	96	80	116	102	116	144	95	89	116	144	Not available											
Vivaldi	79	96	79	122	79	144	79	138	79	144	Not available											

**NOTES:** Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

24V RTS ST30

## Features and Size Considerations

Minimum width: 20  
 Minimum height: 13

### Roller and Solar Shades: 24-Volt Motor Maximum Shade Size (24V RTS ST30 Motor)

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)											
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width		3" Fascia		4" Fascia	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Wayfarer	92	144	92	144	92	144	92	144	92	144	Not available											
Whitcomb	95	87	108	144	108	144	108	105	108	144	Not available											
Whitehall	88	102	92	136	92	144	92	94	92	144	91	82	123	79	123	79	123	79	123	79	123	79
Whittaker BO	89	71	113	90	111	119	85	96	111	119	Not available											
Zen	92	68	92	118	92	144	92	100	92	144	Not available											

**NOTES:** Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.