

Features and Size Considerations

Minimum Width: 20" (40.6 cm)
Minimum Height: 13" (33.0 cm)

Roller and Solar Shades: 24 Volt Motor Maximum Shade Size (24V RTS ST30 Motor)

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)												
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		3" (7.7 cm) Fascia		4" (10.2 cm) Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width		3" (7.7 cm) Fascia		4" (10.2 cm) Fascia		
	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	
Allure	91 (231.2)	131 (332.8)	108 (274.4)	144 (365.8)	108 (274.4)	144 (365.8)	108 (274.4)	144 (365.8)	108 (274.4)	144 (365.8)	95 (241.3)	98 (249.0)	127 (322.6)	95 (241.3)	127 (322.6)	95 (241.3)	127 (322.6)	95 (241.3)	127 (322.6)	95 (241.3)	127 (322.6)	95 (241.3)	127 (322.6)
Arboretum BO	87 (221.0)	97 (246.4)	92 (233.7)	124 (315.0)	92 (233.7)	144 (365.8)	82 (208.3)	131 (332.8)	92 (233.7)	144 (365.8)	89 (226.1)	82 (208.3)	89 (226.1)	82 (208.3)	89 (226.1)	82 (208.3)	121 (307.4)	79 (200.7)	89 (226.1)	82 (208.3)	89 (226.1)	82 (208.3)	
Arboretum LF	90 (228.6)	136 (345.5)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	92 (233.7)	125 (317.5)	92 (233.7)	144 (365.8)	96 (243.9)	82 (208.3)	96 (243.9)	82 (208.3)	96 (243.9)	82 (208.3)	129 (327.7)	79 (200.7)	96 (243.9)	82 (208.3)	96 (243.9)	82 (208.3)	
Banquet	85 (215.9)	139 (353.1)	85 (215.9)	144 (365.8)	85 (215.9)	144 (365.8)	85 (215.9)	144 (365.8)	85 (215.9)	144 (365.8)	96 (243.9)	74 (188.0)	96 (243.9)	74 (188.0)	96 (243.9)	74 (188.0)	129 (327.7)	71 (180.4)	96 (243.9)	74 (188.0)	96 (243.9)	74 (188.0)	
Bravado BO	90 (228.6)	76 (193.1)	82 (208.3)	125 (317.5)	108 (274.4)	144 (365.8)	84 (213.4)	111 (282.0)	108 (274.4)	144 (365.8)	Not available												
Bravado LF	95 (241.3)	93 (236.3)	109 (276.9)	119 (302.3)	109 (276.9)	144 (365.8)	91 (231.2)	131 (332.8)	109 (276.9)	144 (365.8)	Not available												
Broadcast	87 (221.0)	58 (147.4)	77 (195.6)	111 (282.0)	101 (256.6)	135 (342.9)	81 (205.8)	86 (218.5)	101 (256.6)	135 (342.9)	87 (221.0)	58 (147.4)	77 (195.6)	111 (282.0)	101 (256.6)	135 (342.9)	101 (256.6)	135 (342.9)	81 (205.8)	86 (218.5)	101 (256.6)	135 (342.9)	
Cambridge LF 76" (Ivory)	77 (195.6)	144 (365.8)	77 (195.6)	144 (365.8)	77 (195.6)	144 (365.8)	77 (195.6)	144 (365.8)	77 (195.6)	144 (365.8)	101 (256.6)	66 (167.7)	101 (256.6)	66 (167.7)	101 (256.6)	66 (167.7)	134 (340.4)	63 (160.1)	101 (256.6)	66 (167.7)	101 (256.6)	66 (167.7)	
Cambridge LF 92" (Clay, Cocoa Bean, Inkwell, Misty, Off White, White)	92 (233.7)	140 (355.6)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	92 (233.7)	140 (355.6)	92 (233.7)	144 (365.8)	98 (249.0)	82 (208.3)	98 (249.0)	82 (208.3)	98 (249.0)	82 (208.3)	131 (332.8)	79 (200.7)	98 (249.0)	82 (208.3)	98 (249.0)	82 (208.3)	
Cambridge RD 76" (Ivory)	77 (195.6)	113 (287.1)	77 (195.6)	144 (365.8)	77 (195.6)	144 (365.8)	77 (195.6)	144 (365.8)	77 (195.6)	144 (365.8)	93 (236.3)	66 (167.7)	93 (236.3)	66 (167.7)	93 (236.3)	66 (167.7)	125 (317.5)	63 (160.1)	93 (236.3)	66 (167.7)	93 (236.3)	66 (167.7)	
Cambridge RD 92" (Clay, Cocoa Bean, Inkwell, Misty, Off White, White)	85 (215.9)	113 (287.1)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	82 (208.3)	138 (350.6)	92 (233.7)	144 (365.8)	90 (228.6)	82 (208.3)	90 (228.6)	82 (208.3)	90 (228.6)	82 (208.3)	122 (309.9)	79 (200.7)	90 (228.6)	82 (208.3)	90 (228.6)	82 (208.3)	
Capri	71 (180.4)	85 (215.9)	71 (180.4)	144 (365.8)	71 (180.4)	144 (365.8)	71 (180.4)	124 (315.0)	71 (180.4)	144 (365.8)	Not available												
Chronicles	85 (215.9)	93 (236.3)	97 (246.4)	119 (302.3)	97 (246.4)	144 (365.8)	80 (203.2)	125 (317.5)	97 (246.4)	144 (365.8)	Not available												
Complex	87 (221.0)	68 (172.8)	77 (195.6)	126 (320.1)	97 (246.4)	144 (365.8)	81 (205.8)	100 (254.0)	97 (246.4)	144 (365.8)	Not available												
Conservancy BO	70 (177.8)	71 (180.4)	91 (231.2)	90 (228.6)	85 (215.9)	133 (337.9)	65 (165.1)	103 (261.6)	85 (215.9)	133 (337.9)	Not available												
Conservancy LF	76 (193.1)	82 (208.3)	99 (251.5)	105 (266.7)	97 (246.4)	131 (332.8)	74 (188.0)	113 (287.1)	97 (246.4)	131 (332.8)	Not available												
Consummate Silk	78 (198.2)	124 (315.0)	78 (198.2)	144 (365.8)	78 (198.2)	144 (365.8)	78 (198.2)	144 (365.8)	78 (198.2)	144 (365.8)	Not available												
Cumulus	89 (226.1)	68 (172.8)	80 (203.2)	122 (309.9)	97 (246.4)	144 (365.8)	83 (210.9)	100 (254.0)	97 (246.4)	144 (365.8)	Not available												
Ellington 1%	74 (188.0)	82 (208.3)	97 (246.4)	105 (266.7)	95 (241.3)	117 (297.2)	71 (180.4)	106 (269.3)	95 (241.3)	117 (297.2)	74 (188.0)	82 (208.3)	97 (246.4)	105 (266.7)	95 (241.3)	117 (297.2)	95 (241.3)	117 (297.2)	71 (180.4)	106 (269.3)	95 (241.3)	117 (297.2)	
Ellington 3%	76 (193.1)	85 (215.9)	99 (251.5)	109 (276.9)	97 (246.4)	125 (317.5)	73 (185.5)	110 (279.4)	97 (246.4)	125 (317.5)	76 (193.1)	85 (215.9)	99 (251.5)	109 (276.9)	97 (246.4)	125 (317.5)	97 (246.4)	125 (317.5)	73 (185.5)	110 (279.4)	97 (246.4)	125 (317.5)	
Ellington 5%	67 (170.2)	85 (215.9)	87 (221.0)	109 (276.9)	86 (218.5)	122 (309.9)	63 (160.1)	123 (312.5)	86 (218.5)	122 (309.9)	Not available												
Empire	92 (233.7)	141 (358.2)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	99 (251.5)	82 (208.3)	99 (251.5)	82 (208.3)	99 (251.5)	82 (208.3)	132 (335.3)	79 (200.7)	99 (251.5)	82 (208.3)	99 (251.5)	82 (208.3)	
Empirical	93 (236.3)	123 (312.5)	96 (243.9)	144 (365.8)	96 (243.9)	144 (365.8)	96 (243.9)	144 (365.8)	96 (243.9)	144 (365.8)	Not available												

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.
See dual shade section for motorization information.

Features and Size Considerations

Minimum Width: 20" (40.6 cm)
Minimum Height: 13" (33.0 cm)

Roller and Solar Shades: 24 Volt Motor Maximum Shade Size (24V RTS ST30 Motor)

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)											
	Small Cassette		Medium Cassette		Large Cassette/Contour Valance/No Cassette/No Valance		3" (7.7 cm) Fascia		4" (10.2 cm) Fascia		Small Cassette		Medium Cassette		Large Cassette/Contour Valance/No Cassette/No Valance		Large Cassette/Contour Valance/No Cassette/No Valance at Maximum Width		3" (7.7 cm) Fascia		4" (10.2 cm) Fascia	
	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)
Emporium (All Others)	89 (226.1)	97 (246.4)	96 (243.9)	124 (315.0)	96 (243.9)	144 (365.8)	85 (215.9)	132 (335.3)	96 (243.9)	144 (365.8)	Not available											
Emporium (Bookplate White)	88 (223.6)	118 (299.8)	96 (243.9)	144 (365.8)	96 (243.9)	144 (365.8)	87 (221.0)	131 (332.8)	96 (243.9)	144 (365.8)	Not available											
Emporium (Sepia Snapshot)	88 (223.6)	97 (246.4)	96 (243.9)	124 (315.0)	96 (243.9)	144 (365.8)	82 (208.3)	140 (355.6)	96 (243.9)	144 (365.8)	Not available											
Essential	70 (177.8)	144 (365.8)	70 (177.8)	144 (365.8)	70 (177.8)	144 (365.8)	70 (177.8)	144 (365.8)	70 (177.8)	144 (365.8)	80 (203.2)	124 (315.0)	107 (271.8)	137 (348.0)	107 (271.8)	137 (348.0)	107 (271.8)	137 (348.0)	107 (271.8)	137 (348.0)	107 (271.8)	137 (348.0)
Exposition	92 (233.7)	53 (134.7)	82 (208.3)	102 (259.1)	97 (246.4)	144 (365.8)	86 (218.5)	79 (200.7)	97 (246.4)	144 (365.8)	Not available											
Gleam	76 (193.1)	106 (269.3)	92 (233.7)	136 (345.5)	92 (233.7)	144 (365.8)	75 (190.5)	119 (302.3)	92 (233.7)	144 (365.8)	Not available											
Guildhall	84 (213.4)	79 (200.7)	97 (246.4)	101 (256.6)	97 (246.4)	144 (365.8)	78 (198.2)	115 (292.1)	97 (246.4)	144 (365.8)	Not available											
Harmony	91 (231.2)	132 (335.3)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	91 (231.2)	133 (337.9)	92 (233.7)	144 (365.8)	Not available											
Herald	92 (233.7)	141 (358.2)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	99 (251.5)	82 (208.3)	99 (251.5)	82 (208.3)	99 (251.5)	82 (208.3)	132 (335.3)	79 (200.7)	99 (251.5)	82 (208.3)	99 (251.5)	82 (208.3)
Merit	75 (190.5)	93 (236.3)	97 (246.4)	119 (302.3)	97 (246.4)	122 (309.9)	73 (185.5)	108 (274.4)	97 (246.4)	122 (309.9)	Not available											
Momentum	90 (228.6)	64 (162.6)	80 (203.2)	119 (302.3)	95 (241.3)	144 (365.8)	84 (213.4)	94 (238.8)	95 (241.3)	144 (365.8)	Not available											
Monticello	88 (223.6)	56 (142.3)	77 (195.6)	107 (271.8)	97 (246.4)	144 (365.8)	82 (208.3)	83 (210.9)	97 (246.4)	144 (365.8)	88 (223.6)	56 (142.3)	81 (205.8)	86 (218.5)	111 (282.0)	83 (210.9)	111 (282.0)	83 (210.9)	82 (208.3)	83 (210.9)	111 (282.0)	83 (210.9)
Opulent	88 (223.6)	133 (337.9)	96 (243.9)	144 (365.8)	96 (243.9)	144 (365.8)	96 (243.9)	144 (365.8)	96 (243.9)	144 (365.8)	Not available											
Paradigm	92 (233.7)	64 (162.6)	82 (208.3)	121 (307.4)	97 (246.4)	144 (365.8)	86 (218.5)	94 (238.8)	97 (246.4)	144 (365.8)	Not available											
Paragon	76 (193.1)	89 (226.1)	98 (249.0)	114 (289.6)	97 (246.4)	124 (315.0)	73 (185.5)	109 (276.9)	97 (246.4)	124 (315.0)	Not available											
Plexus 1%	84 (213.4)	58 (147.4)	74 (188.0)	109 (276.9)	97 (246.4)	134 (340.4)	78 (198.2)	86 (218.5)	97 (246.4)	134 (340.4)	84 (213.4)	58 (147.4)	74 (188.0)	109 (276.9)	97 (246.4)	134 (340.4)	97 (246.4)	134 (340.4)	78 (198.2)	86 (218.5)	97 (246.4)	134 (340.4)
Plexus 3%	85 (215.9)	62 (157.5)	75 (190.5)	112 (284.5)	99 (251.5)	133 (337.9)	78 (198.2)	91 (231.2)	99 (251.5)	133 (337.9)	85 (215.9)	62 (157.5)	75 (190.5)	112 (284.5)	99 (251.5)	133 (337.9)	99 (251.5)	133 (337.9)	78 (198.2)	91 (231.2)	99 (251.5)	133 (337.9)
Plexus 5%	85 (215.9)	68 (172.8)	75 (190.5)	122 (309.9)	99 (251.5)	144 (365.8)	78 (198.2)	100 (254.0)	99 (251.5)	144 (365.8)	85 (215.9)	68 (172.8)	75 (190.5)	122 (309.9)	99 (251.5)	144 (365.8)	99 (251.5)	144 (365.8)	78 (198.2)	100 (254.0)	99 (251.5)	144 (365.8)
Prairie	90 (228.6)	123 (312.5)	108 (274.4)	144 (365.8)	108 (274.4)	144 (365.8)	108 (274.4)	110 (279.4)	108 (274.4)	144 (365.8)	Not available											
Prodigy	69 (175.3)	58 (147.4)	61 (155.0)	111 (282.0)	82 (208.3)	123 (312.5)	64 (162.6)	86 (218.5)	82 (208.3)	123 (312.5)	Not available											
Providence BO	68 (172.8)	82 (208.3)	88 (223.6)	105 (266.7)	85 (215.9)	133 (337.9)	64 (162.6)	117 (297.2)	85 (215.9)	133 (337.9)	Not available											
Providence LF	75 (190.5)	97 (246.4)	98 (249.0)	123 (312.5)	97 (246.4)	134 (340.4)	73 (185.5)	127 (322.6)	97 (246.4)	134 (340.4)	Not available											
Quintessence	79 (200.7)	76 (193.1)	103 (261.6)	97 (246.4)	98 (249.0)	131 (332.8)	74 (188.0)	111 (282.0)	98 (249.0)	131 (332.8)	Not available											
Reaction	85 (215.9)	93 (236.3)	97 (246.4)	119 (302.3)	97 (246.4)	144 (365.8)	80 (203.2)	125 (317.5)	97 (246.4)	144 (365.8)	Not available											
Renaissance	92 (233.7)	140 (355.6)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	92 (233.7)	140 (355.6)	92 (233.7)	144 (365.8)	Not available											
Resolve	87 (221.0)	82 (208.3)	97 (246.4)	105 (266.7)	97 (246.4)	144 (365.8)	81 (205.8)	119 (302.3)	97 (246.4)	144 (365.8)	Not available											
Riverbend	72 (182.9)	62 (157.5)	72 (182.9)	117 (297.2)	72 (182.9)	144 (365.8)	72 (182.9)	91 (231.2)	72 (182.9)	144 (365.8)	Not available											
Rujin	72 (182.9)	24 (60.9)	72 (182.9)	51 (129.6)	72 (182.9)	119 (302.3)	72 (182.9)	38 (96.5)	72 (182.9)	96 (243.9)	Not available											

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.
See dual shade section for motorization information.

Features and Size Considerations

Minimum Width: 20" (40.6 cm)
Minimum Height: 13" (33.0 cm)

Roller and Solar Shades: 24 Volt Motor Maximum Shade Size (24V RTS ST30 Motor)

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)											
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		3" (7.7 cm) Fascia		4" (10.2 cm) Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width		3" (7.7 cm) Fascia		4" (10.2 cm) Fascia	
	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)	Width (inches) (cm)	Height (inches) (cm)
Sabine	84 (213.4)	89 (226.1)	97 (246.4)	114 (289.6)	97 (246.4)	144 (365.8)	79 (200.7)	123 (312.5)	97 (246.4)	144 (365.8)	Not available											
Salutation	96 (243.9)	97 (246.4)	96 (243.9)	124 (315.0)	96 (243.9)	144 (365.8)	93 (236.3)	123 (312.5)	96 (243.9)	144 (365.8)	Not available											
Sanguine	79 (200.7)	66 (167.7)	77 (195.6)	120 (304.8)	79 (200.7)	144 (365.8)	79 (200.7)	97 (246.4)	79 (200.7)	144 (365.8)	Not available											
Santorini	77 (195.6)	124 (315.0)	77 (195.6)	144 (365.8)	77 (195.6)	144 (365.8)	77 (195.6)	144 (365.8)	77 (195.6)	144 (365.8)	Not available											
Sedona	72 (182.9)	89 (226.1)	72 (182.9)	144 (365.8)	72 (182.9)	144 (365.8)	72 (182.9)	129 (327.7)	72 (182.9)	144 (365.8)	99 (251.5)	62 (157.5)	99 (251.5)	62 (157.5)	99 (251.5)	62 (157.5)	132 (335.3)	59 (149.9)	99 (251.5)	62 (157.5)	99 (251.5)	62 (157.5)
Shadow	84 (213.4)	97 (246.4)	109 (276.9)	124 (315.0)	107 (271.8)	136 (345.5)	80 (203.2)	123 (312.5)	107 (271.8)	136 (345.5)	Not available											
Sheffield	95 (241.3)	101 (256.6)	108 (274.4)	130 (330.2)	108 (274.4)	144 (365.8)	91 (231.2)	135 (342.9)	108 (274.4)	144 (365.8)	Not available											
Standard Weave 1%	82 (208.3)	89 (226.1)	107 (271.8)	114 (289.6)	102 (259.1)	144 (365.8)	77 (195.6)	125 (317.5)	102 (259.1)	144 (365.8)	82 (208.3)	89 (226.1)	107 (271.8)	114 (289.6)	102 (259.1)	144 (365.8)	102 (259.1)	144 (365.8)	77 (195.6)	125 (317.5)	102 (259.1)	144 (365.8)
Standard Weave 3%	83 (210.9)	89 (226.1)	108 (274.4)	114 (289.6)	106 (269.3)	128 (325.2)	78 (198.2)	124 (315.0)	106 (269.3)	128 (325.2)	83 (210.9)	89 (226.1)	108 (274.4)	114 (289.6)	106 (269.3)	128 (325.2)	106 (269.3)	128 (325.2)	78 (198.2)	124 (315.0)	106 (269.3)	128 (325.2)
Standard Weave 5%	83 (210.9)	97 (246.4)	108 (274.4)	124 (315.0)	106 (269.3)	136 (345.5)	79 (200.7)	124 (315.0)	106 (269.3)	136 (345.5)	83 (210.9)	97 (246.4)	108 (274.4)	124 (315.0)	106 (269.3)	136 (345.5)	106 (269.3)	136 (345.5)	79 (200.7)	124 (315.0)	106 (269.3)	136 (345.5)
Standard Weave 10%	84 (213.4)	101 (256.6)	108 (274.4)	130 (330.2)	108 (274.4)	135 (342.9)	81 (205.8)	120 (304.8)	108 (274.4)	135 (342.9)	84 (213.4)	101 (256.6)	108 (274.4)	130 (330.2)	108 (274.4)	135 (342.9)	108 (274.4)	135 (342.9)	81 (205.8)	120 (304.8)	108 (274.4)	135 (342.9)
Suburban II	72 (182.9)	139 (353.1)	72 (182.9)	144 (365.8)	72 (182.9)	144 (365.8)	72 (182.9)	144 (365.8)	72 (182.9)	144 (365.8)	100 (254.0)	62 (157.5)	100 (254.0)	62 (157.5)	100 (254.0)	62 (157.5)	133 (337.9)	59 (149.9)	100 (254.0)	62 (157.5)	100 (254.0)	62 (157.5)
Tableaux	90 (228.6)	47 (119.4)	79 (200.7)	92 (233.7)	97 (246.4)	144 (365.8)	83 (210.9)	71 (180.4)	97 (246.4)	136 (345.5)	Not available											
Thesis	70 (177.8)	73 (185.5)	70 (177.8)	137 (348.0)	70 (177.8)	144 (365.8)	70 (177.8)	107 (271.8)	70 (177.8)	144 (365.8)	Not available											
Vanguard 1%	82 (208.3)	89 (226.1)	107 (271.8)	114 (289.6)	102 (259.1)	144 (365.8)	77 (195.6)	125 (317.5)	102 (259.1)	144 (365.8)	82 (208.3)	89 (226.1)	107 (271.8)	114 (289.6)	102 (259.1)	144 (365.8)	102 (259.1)	144 (365.8)	77 (195.6)	125 (317.5)	102 (259.1)	144 (365.8)
Vanguard 3%	83 (210.9)	89 (226.1)	108 (274.4)	114 (289.6)	106 (269.3)	128 (325.2)	78 (198.2)	124 (315.0)	106 (269.3)	128 (325.2)	83 (210.9)	89 (226.1)	108 (274.4)	114 (289.6)	106 (269.3)	128 (325.2)	106 (269.3)	128 (325.2)	78 (198.2)	124 (315.0)	106 (269.3)	128 (325.2)
Vanguard 5%	83 (210.9)	97 (246.4)	108 (274.4)	124 (315.0)	106 (269.3)	136 (345.5)	79 (200.7)	124 (315.0)	106 (269.3)	136 (345.5)	83 (210.9)	97 (246.4)	108 (274.4)	124 (315.0)	106 (269.3)	136 (345.5)	106 (269.3)	136 (345.5)	79 (200.7)	124 (315.0)	106 (269.3)	136 (345.5)
Venture	76 (193.1)	73 (185.5)	97 (246.4)	94 (238.8)	94 (238.8)	121 (307.4)	71 (180.4)	104 (264.2)	94 (238.8)	121 (307.4)	Not available											
Wayfarer	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	92 (233.7)	144 (365.8)	Not available											
Whitcomb	90 (228.6)	118 (299.8)	108 (274.4)	144 (365.8)	108 (274.4)	144 (365.8)	108 (274.4)	104 (264.2)	108 (274.4)	144 (365.8)	Not available											
Whitehall	87 (221.0)	106 (269.3)	92 (233.7)	136 (345.5)	92 (233.7)	144 (365.8)	82 (208.3)	144 (365.8)	92 (233.7)	144 (365.8)	91 (231.2)	82 (208.3)	91 (231.2)	82 (208.3)	91 (231.2)	82 (208.3)	123 (312.5)	79 (200.7)	91 (231.2)	82 (208.3)	91 (231.2)	82 (208.3)

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.
See dual shade section for motorization information.