

Size Considerations

- This table provides the maximum shade size available by fabric, control type, and valance style
- Fabric turned width for height (railroaded) may curl along its edge; this is not a defect in the product
- Scallops will decrease the maximum height by 6¼" (17.2 cm) on roller fabrics only
- Only the large cassette valance is available for the dual shade
- Small and medium cassette valances are not available

Dual Shades: Maximum Shade Size

| Valance Type | Normal Fabric Orientation | | | | Fabric Turned Width for Height (railroaded) | | | | | | | |
|--|--|-----------------------|--|-----------------------|--|-----------------------|--|-----------------------|--|-----------------------|--|-----------------------|
| | Continuous-Loop Lift No Cassette/ No Valance | | Continuous-Loop Lift Large Cassette | | Continuous-Loop Lift No Cassette/ No Valance | | Continuous-Loop Lift No Cassette/ No Valance at Maximum Width | | Continuous-Loop Lift Large Cassette | | Continuous-Loop Lift Large Cassette at Maximum Width | |
| Fabric | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) |
| Allure | 91 (231.2) | 131 (332.8) | 92 (233.7) | 122 (309.9) | 95 (241.3) | 98 (249.0) | 95 (241.3) | 98 (249.0) | 95 (241.3) | 98 (249.0) | 95 (241.3) | 98 (249.0) |
| Arboretum BO | 72 (182.9) | 108 (274.4) | 73 (185.5) | 101 (256.6) | 75 (190.5) | 84 (213.4) | 89 (226.1) | 82 (208.3) | 75 (190.5) | 84 (213.4) | 82 (208.3) | 82 (208.3) |
| Arboretum LF | 91 (231.2) | 127 (322.6) | 92 (233.7) | 119 (302.3) | 82 (208.3) | 84 (213.4) | 96 (243.9) | 82 (208.3) | 82 (208.3) | 84 (213.4) | 96 (243.9) | 82 (208.3) |
| Banquet | 85 (215.9) | 134 (340.4) | 84 (213.4) | 119 (302.3) | 96 (243.9) | 74 (188.0) | 96 (243.9) | 74 (188.0) | 96 (243.9) | 74 (188.0) | 96 (243.9) | 74 (188.0) |
| Bravado BO | 74 (188.0) | 90 (228.6) | 75 (190.5) | 82 (208.3) | Not available | | | | | | | |
| Bravado LF | 79 (200.7) | 110 (279.4) | 80 (2032) | 99 (251.5) | Not available | | | | | | | |
| Broadcast | 71 (180.4) | 70 (177.8) | 73 (185.5) | 63 (160.1) | 71 (180.4) | 70 (177.8) | 88 (223.6) | 56 (142.3) | 73 (185.5) | 63 (160.1) | 83 (210.9) | 49 (124.5) |
| Cambridge LF 76" (193.1 cm) (Ivory) | 77 (195.6) | 144 (365.8) | 77 (195.6) | 144 (365.8) | 86 (218.5) | 68 (172.8) | 101 (256.6) | 66 (167.7) | 86 (218.5) | 68 (172.8) | 101 (256.6) | 66 (167.7) |
| Cambridge LF 92" (233.7 cm) (All Others) | 92 (233.7) | 139 (353.1) | 92 (233.7) | 126 (320.1) | 84 (213.4) | 84 (213.4) | 98 (249.0) | 82 (208.3) | 84 (213.4) | 84 (213.4) | 98 (249.0) | 82 (208.3) |
| Cambridge RD 76" (193.1 cm) (Ivory) | 77 (195.6) | 107 (271.8) | 72 (182.9) | 114 (289.6) | 79 (200.7) | 68 (172.8) | 93 (236.3) | 66 (167.7) | 79 (200.7) | 68 (172.8) | 93 (236.3) | 66 (167.7) |
| Cambridge RD 92" (233.7 cm) (All Others) | 86 (218.5) | 107 (271.8) | 72 (182.9) | 114 (289.6) | 76 (193.1) | 84 (213.4) | 90 (228.6) | 82 (208.3) | 76 (193.1) | 84 (213.4) | 86 (218.5) | 82 (208.3) |
| Capri | 71 (180.4) | 101 (256.6) | 71 (180.4) | 91 (231.2) | Not available | | | | | | | |
| Chronicles | 71 (180.4) | 98 (249.0) | 71 (180.4) | 98 (249.0) | Not available | | | | | | | |
| Complex | 71 (180.4) | 82 (208.3) | 72 (182.9) | 74 (188.0) | Not available | | | | | | | |
| Conservancy BO | 57 (144.8) | 84 (213.4) | 59 (149.9) | 74 (188.0) | Not available | | | | | | | |

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Seams may be added to fabrics to accommodate long shade requirements. See shade features charts for a list of fabrics that can be seamed. Seams will be placed as close to the tube as possible; seam location is not selectable. They are visible when the shade is fully extended. This is not available for cordless lift or smart pull lift shades.

Size Considerations

| Dual Shades: Maximum Shade Size | | | | | | | | | | | | | |
|---------------------------------|--|-----------------------|--|-----------------------|--|-----------------------|--|-----------------------|--|-----------------------|--|-----------------------|--|
| Valance Type | Normal Fabric Orientation | | | | Fabric Turned Width for Height (railroaded) | | | | | | | | |
| | Continuous-Loop Lift No Cassette/ No Valance | | Continuous-Loop Lift Large Cassette | | Continuous-Loop Lift No Cassette/ No Valance | | Continuous-Loop Lift No Cassette/ No Valance at Maximum Width | | Continuous-Loop Lift Large Cassette | | Continuous-Loop Lift Large Cassette at Maximum Width | | |
| Fabric | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | |
| Conservancy LF | 64 (162.6) | 97 (246.4) | 65 (165.1) | 88 (223.6) | Not available | | | | | | | | |
| Consummate Silk | 78 (198.2) | 117 (297.2) | 72 (182.9) | 109 (276.9) | Not available | | | | | | | | |
| Cumulus | 73 (185.5) | 82 (208.3) | 74 (188.0) | 74 (188.0) | Not available | | | | | | | | |
| Ellington 1% | 61 (155.0) | 97 (246.4) | 62 (157.5) | 88 (223.6) | 61 (155.0) | 97 (246.4) | 75 (190.5) | 79 (200.7) | 62 (157.5) | 88 (223.6) | 74 (188.0) | 69 (175.3) | |
| Ellington 3% | 77 (195.6) | 82 (208.3) | 64 (162.6) | 91 (231.2) | 77 (195.6) | 82 (208.3) | 77 (195.6) | 82 (208.3) | 64 (162.6) | 91 (231.2) | 79 (200.7) | 72 (182.9) | |
| Ellington 5% | 68 (172.8) | 82 (208.3) | 56 (142.3) | 91 (231.2) | | | | | | | | | |
| Empire | 92 (233.7) | 134 (340.4) | 92 (233.7) | 119 (302.3) | 84 (213.4) | 84 (213.4) | 99 (251.5) | 82 (208.3) | 84 (213.4) | 84 (213.4) | 99 (251.5) | 82 (208.3) | |
| Empirical | 93 (236.3) | 123 (312.5) | 93 (236.3) | 123 (312.5) | | | | | | | | | |
| Emporium (Bookplate White) | 89 (226.1) | 113 (287.1) | 74 (188.0) | 125 (317.5) | | | | | | | | | |
| Emporium (Sepia Snapshot) | 73 (185.5) | 111 (282.0) | 74 (188.0) | 103 (261.7) | | | | | | | | | |
| Emporium (All Others) | 74 (188.0) | 114 (289.6) | 75 (190.5) | 104 (264.2) | | | | | | | | | |
| Essential | 70 (177.8) | 114 (289.6) | 70 (177.8) | 104 (264.2) | 78 (198.2) | 100 (254.0) | 78 (198.2) | 100 (254.0) | 71 (180.4) | 97 (246.4) | 73 (185.5) | 84 (213.4) | |
| Exposition | 76 (193.1) | 64 (162.6) | 77 (195.6) | 58 (147.4) | Not available | | | | | | | | |
| Gleam | 77 (195.6) | 102 (259.1) | 79 (200.7) | 90 (228.6) | Not available | | | | | | | | |
| Guildhall | 70 (177.8) | 87 (221.0) | 70 (177.8) | 85 (215.9) | Not available | | | | | | | | |
| Harmony | 92 (233.7) | 124 (315.0) | 92 (233.7) | 112 (284.5) | Not available | | | | | | | | |
| Herald | 92 (233.7) | 134 (340.4) | 92 (233.7) | 119 (302.3) | 84 (213.4) | 84 (213.4) | 99 (251.5) | 82 (208.3) | 84 (213.4) | 84 (213.4) | 99 (251.5) | 82 (208.3) | |
| Merit | 76 (193.1) | 88 (223.6) | 63 (160.1) | 97 (246.4) | Not available | | | | | | | | |
| Monticello | 72 (182.9) | 68 (172.8) | 73 (185.5) | 61 (155.0) | 72 (182.9) | 68 (172.8) | 89 (226.1) | 54 (137.2) | 73 (185.5) | 61 (155.0) | 86 (218.5) | 47 (119.4) | |
| Momentum | 74 (188.0) | 76 (193.1) | 75 (190.5) | 69 (175.3) | Not available | | | | | | | | |

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Seams may be added to fabrics to accommodate long shade requirements. See shade features charts for a list of fabrics that can be seamed. Seams will be placed as close to the tube as possible; seam location is not selectable. They are visible when the shade is fully extended. This is not available for cordless lift or smart pull lift shades.

Size Considerations

| Dual Shades: Maximum Shade Size | | | | | | | | | | | | | |
|---------------------------------|--|-----------------------|--|-----------------------|--|-----------------------|--|-----------------------|--|-----------------------|--|-----------------------|--|
| Valance Type | Normal Fabric Orientation | | | | Fabric Turned Width for Height (railroaded) | | | | | | | | |
| | Continuous-Loop Lift No Cassette/ No Valance | | Continuous-Loop Lift Large Cassette | | Continuous-Loop Lift No Cassette/ No Valance | | Continuous-Loop Lift No Cassette/ No Valance at Maximum Width | | Continuous-Loop Lift Large Cassette | | Continuous-Loop Lift Large Cassette at Maximum Width | | |
| Fabric | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | |
| Opulent | 88 (223.6) | 133 (337.9) | 82 (208.3) | 123 (312.5) | Not available | | | | | | | | |
| Paradigm | 76 (193.1) | 76 (193.1) | 77 (195.6) | 69 (175.3) | Not available | | | | | | | | |
| Paragon | 76 (193.1) | 85 (215.9) | 63 (160.1) | 95 (241.3) | Not available | | | | | | | | |
| Plexus 1% | 69 (175.3) | 70 (177.8) | 70 (177.8) | 62 (157.5) | 69 (175.3) | 70 (177.8) | 81 (205.8) | 56 (142.3) | 70 (177.8) | 62 (157.5) | 73 (185.5) | 49 (124.5) | |
| Plexus 3% | 69 (175.3) | 74 (188.0) | 71 (180.4) | 66 (167.7) | 69 (175.3) | 74 (188.0) | 83 (210.9) | 59 (149.9) | 71 (180.4) | 66 (167.7) | 74 (188.0) | 52 (132.1) | |
| Plexus 5% | 69 (175.3) | 82 (208.3) | 71 (180.4) | 72 (182.9) | 69 (175.3) | 82 (208.3) | 82 (208.3) | 66 (167.7) | 71 (180.4) | 72 (182.9) | 74 (188.0) | 58 (147.4) | |
| Prairie | 90 (228.6) | 119 (302.3) | 92 (233.7) | 106 (269.3) | Not available | | | | | | | | |
| Prodigy | 56 (142.3) | 70 (177.8) | 58 (147.4) | 63 (160.1) | Not available | | | | | | | | |
| Providence BO | 56 (142.3) | 97 (246.4) | 57 (144.8) | 88 (223.6) | Not available | | | | | | | | |
| Providence LF | 76 (193.1) | 93 (236.3) | 77 (195.6) | 82 (208.3) | Not available | | | | | | | | |
| Quintessence | 65 (165.1) | 90 (228.6) | 66 (167.7) | 82 (208.3) | Not available | | | | | | | | |
| Reaction | 71 (180.4) | 98 (249.0) | 71 (180.4) | 98 (249.0) | Not available | | | | | | | | |
| Renaissance | 92 (233.7) | 140 (355.6) | 92 (233.7) | 133 (337.9) | Not available | | | | | | | | |
| Resolve | 71 (180.4) | 97 (246.4) | 73 (185.5) | 87 (221.0) | Not available | | | | | | | | |
| Riverbend | 72 (182.9) | 74 (188.0) | 72 (182.9) | 69 (175.3) | Not available | | | | | | | | |
| Rujin | 72 (182.9) | 31 (78.8) | 72 (182.9) | 27 (68.6) | Not available | | | | | | | | |
| Sabine | 82 (208.3) | 85 (215.9) | 71 (180.4) | 91 (231.2) | Not available | | | | | | | | |
| Salutation | 80 (203.2) | 114 (289.6) | 81 (205.8) | 104 (264.2) | Not available | | | | | | | | |
| Sanguine | 71 (180.4) | 79 (200.7) | 72 (182.9) | 71 (180.4) | Not available | | | | | | | | |

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Seams may be added to fabrics to accommodate long shade requirements. See shade features charts for a list of fabrics that can be seamed. Seams will be placed as close to the tube as possible; seam location is not selectable. They are visible when the shade is fully extended. This is not available for cordless lift or smart pull lift shades.

Size Considerations

| Dual Shades: Maximum Shade Size | | | | | | | | | | | | | |
|--|---|---------------------------|--|---------------------------|---|---------------------------|--|---------------------------|--|---------------------------|---|---------------------------|--|
| Valance Type | Normal Fabric Orientation | | | | Fabric Turned Width for Height (railroaded) | | | | | | | | |
| | Continuous-Loop Lift No Cassette/ No Valance | | Continuous-Loop Lift Large Cassette | | Continuous-Loop Lift No Cassette/ No Valance | | Continuous-Loop Lift No Cassette/ No Valance at Maximum Width | | Continuous-Loop Lift Large Cassette | | Continuous-Loop Lift Large Cassette at Maximum Width | | |
| Fabric | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | Width inches (cm) | Height inches (cm) | |
| Santorini | 77 (195.6) | 135 (342.9) | 77 (195.6) | 132 (335.3) | Not available | | | | | | | | |
| Sedona | 72 (182.9) | 105 (266.7) | 72 (182.9) | 95 (241.3) | 99 (251.5) | 62 (157.5) | 99 (251.5) | 62 (157.5) | 99 (251.5) | 62 (157.5) | 99 (251.5) | 62 (157.5) | |
| Shadow | 80 (203.2) | 93 (236.3) | 71 (180.4) | 97 (246.4) | Not available | | | | | | | | |
| Sheffield | 78 (198.2) | 120 (304.8) | 80 (203.2) | 108 (274.4) | Not available | | | | | | | | |
| Standard Weave 1% | 76 (193.1) | 85 (215.9) | 70 (177.8) | 88 (223.6) | 76 (193.1) | 85 (215.9) | 76 (193.1) | 85 (215.9) | 70 (177.8) | 88 (223.6) | 70 (177.8) | 73 (185.5) | |
| Standard Weave 3% | 78 (198.2) | 85 (215.9) | 71 (180.4) | 87 (221.0) | 78 (198.2) | 85 (215.9) | 78 (198.2) | 85 (215.9) | 71 (180.4) | 87 (221.0) | 71 (180.4) | 75 (190.5) | |
| Standard Weave 5% | 77 (195.6) | 93 (236.3) | 70 (177.8) | 98 (249.0) | 77 (195.6) | 93 (236.3) | 77 (195.6) | 93 (236.3) | 70 (177.8) | 98 (249.0) | 71 (180.4) | 80 (203.2) | |
| Standard Weave 10% | 79 (200.7) | 98 (249.0) | 71 (180.4) | 100 (254.0) | 79 (200.7) | 98 (249.0) | 79 (200.7) | 98 (249.0) | 71 (180.4) | 100 (254.0) | 73 (185.5) | 84 (213.4) | |
| Suburban II | 72 (182.9) | 144 (365.8) | 72 (182.9) | 144 (365.8) | 100 (254.0) | 62 (157.5) | 100 (254.0) | 62 (157.5) | 100 (254.0) | 62 (157.5) | 100 (254.0) | 62 (157.5) | |
| Tableaux | 73 (185.5) | 58 (147.4) | 74 (188.0) | 52 (132.1) | Not available | | | | | | | | |
| Thesis | 70 (177.8) | 87 (221.0) | 70 (177.8) | 79 (200.7) | Not available | | | | | | | | |
| Vanguard 1% | 76 (193.1) | 85 (215.9) | 70 (177.8) | 88 (223.6) | 76 (193.1) | 85 (215.9) | 76 (193.1) | 85 (215.9) | 70 (177.8) | 88 (223.6) | 70 (177.8) | 73 (185.5) | |
| Vanguard 3% | 78 (198.2) | 85 (215.9) | 71 (180.4) | 87 (221.0) | 78 (198.2) | 85 (215.9) | 78 (198.2) | 85 (215.9) | 71 (180.4) | 87 (221.0) | 71 (180.4) | 75 (190.5) | |
| Vanguard 5% | 77 (195.6) | 93 (236.3) | 70 (177.8) | 98 (249.0) | 77 (195.6) | 93 (236.3) | 77 (195.6) | 93 (236.3) | 70 (177.8) | 98 (249.0) | 71 (180.4) | 80 (203.2) | |
| Venture | 62 (157.5) | 87 (221.0) | 63 (160.1) | 79 (200.7) | Not available | | | | | | | | |
| Wayfarer | 92 (233.7) | 144 (365.8) | 92 (233.7) | 144 (365.8) | Not available | | | | | | | | |
| Whitcomb | 91 (231.2) | 113 (287.1) | 76 (193.1) | 125 (317.5) | Not available | | | | | | | | |
| Whitehall | 87 (221.0) | 102 (259.1) | 73 (185.5) | 113 (287.1) | 77 (195.6) | 84 (213.4) | 91 (231.2) | 82 (208.3) | 77 (195.6) | 84 (213.4) | 89 (226.1) | 82 (208.3) | |

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Seams may be added to fabrics to accommodate long shade requirements. See shade features charts for a list of fabrics that can be seamed. Seams will be placed as close to the tube as possible; seam location is not selectable. They are visible when the shade is fully extended. This is not available for cordless lift or smart pull lift shades.